Guida per la creazione e la gestione di un profilo ORCID

Questa guida ha lo scopo di spiegare brevemente quali sono le modalità per la creazione e la gestione di un profilo **ORCID**.

ORCID è acronimo di **Open Researcher and Contributor ID.** È un codice alfanumerico per l'identificazione univoca degli autori di pubblicazioni scientifiche.

In tale contesto *ORCID* è utile per evidenziare i rapporti tra tale codice e *ResearcherID* di **Thomson Reuters** e *Author ID* di **Scopus**.



Figura 1 Relazione tra i due database WoS e Scopus con ResearcherID e ORCID.

Il codice *ORCID*, al momento attuale, viene utilizzato da *ResearcherID* per firmare i documenti in *WoS* riconosciuti come propri dagli autori e da *Scopus* per collegare il profilo *Scopus* (*Author ID*) con il profilo *ORCID*.

Il profilo **ORCID** raccoglie le pubblicazioni scientifiche indicate dall'autore, tra le quali quelle contenute nei database **ResearcherID**, **WoS** e **Scopus**, e sincronizzate periodicamente.

Il primo passo per creare un profilo **ORCID** è di collegarsi al sito <u>http://www.orcid.org</u> come si vede dalla figura 2.



Figura 2 Si clicca su SIGN IN e si accede al menu della figura successiva.

Il primo step è quello di registrarsi cliccando su SIGN IN.

op [_] scopus_full [_] scopus_abstract [_ scopus_tull_xml] api.elsevier.com/con	api.elsevier.com/con	🛶 Google T	raduttore	Web of Science
			FOR RESEARCHERS	FOR ORGANIZATIONS	ABOUT	× ₩	SIGN IN
	0K	Connecting Research and Researchers		RCID ID LEARN MORE			2
						1,343,222	ORCID iDs and counting. Se
			Email or iD				
			Email or iD				
			Password				
			Password				
			_				
			Sign in				
			·				

Figura 3 Il profilo non è ancora esistente, per cui si clicca su Register for an ORCID iD.

×			1. A.	
https://orcid.org/register				
_full 🗋 scopus_abstract 🗋 scopus_full_xml [api.elsevier.com/con	api.elsevier.com/con	💁 Google Tradutte	ore (Web of Science
Search		-	Q 🗘	English
ORCID	FOR RESEARCHERS	FOR ORGANIZATIONS	ABOUT HEL	P SIGN IN
Connecting Research and Researchers	SIGN IN REGISTER FOR AN O	DRCID ID LEARN MORE		
			1,34	3,222 ORCID iDs and counting. See
	Register for a	in ORCID iD		
	ORCID provides a persi through integration in k automated linkages betv	istent digital identifier that disti ey research workflows such as ween you and your professional	nguishes you from ev manuscript and grant activities ensuring th	ery other researcher and, submission, supports at your work is recognized
	First name			
		* 🕄)	
	Last name			
	the second se			
	Email			
	Re-enter email	*		
	Password			
		* 🕄		
	Confirm password			
		*		
	Default privacy for new res	earch activities (Works, Affiliations,	Funding, etc)	
	Notification Email			
	Send me notifications at	bout changes to my ORCID Record		
	Send me information ab	out ORCID events and news.		
	I consent to the privacy	policy and conditions of use, includ	ing public access and use	of all my data that are marked
	Public.	rms and conditions to parister		
	rou must accept tile ter	rins and conditions to register.		
	Register			

Figura 4 Pagina di registrazione di ORCID.

La procedura di registrazione è molto semplice come si vede dalla figura 4. I campi evidenziati con asterisco sono quelli richiesti. Un aspetto che può essere interessante è quello legato alla privacy. È possibile modificare l'impostazione iniziale che prevede l'accesso a tutte le informazioni contenute nel proprio profilo. Sono possibili tre alternative.

- Public (o Everyone), in cui le informazioni possono essere viste da chiunque visiti il sito web orcid.org o utilizzi le API pubbliche di ORCID; i dati marcati come pubblici saranno anche inclusi nei report annuali pubblicati da ORCID.
- Limited (o Trusted), dove le informazioni possono essere viste, e in alcuni casi modificate, solo da coloro che il proprietario del profilo ha autorizzato come Trusted per il proprio ORCID. Questi accessi richiedono l'esplicito assenso del proprietario del profilo ORCID. La terza parte che vorrà accedere alle informazioni dovrà richiedere l'autorizzazione per poterlo fare e il proprietario dovrà acconsentire l'accesso. Tale tipo di autorizzazione permette inoltre di modificare le informazioni inserite nel

proprio profilo. Le **Trusted Parties** possono essere organizzazioni o individui con differenti gradi di autorizzazioni.

- Private (o Only Me), in cui le informazioni possono essere viste solo dal proprietario del profilo.



Figura 5 Privacy Public (o EveryOne).

Default privacy for new research activities (Works, Affiliations, Funding, etc)



Figura 6 Privacy Limited (o Trusted).

Default privacy for new research activities (Works, Affiliations, Funding, etc)





Figura 7 Privacy Private (o Only Me).

Nel menu **Account Settings**, come evidenziato nella figura 8, le autorizzazioni date dal proprietario del profilo *ORCID* possono essere controllate e modificate.

and Researchers	MY ORCID RECORE	NT SETTINGS	EVELOPER TOOLS	LEARN MORE	1.201.000							
					1,356,978	OKCID (Ds and counting	See more					
Giuseppe De 🔗	Account s	etting	zs									
	Email		i	Edit								
View Public Profile	Password		1	Edit								
Switch account 🕽	Privacy preferences			Edit								
ACCOUNT SETTINGS	Security question			Edit								
MANAGE PERMISSIONS	Email preferences		1	Edit								
DEVELOPER TOOLS	Close account			Close this OF	CID record	1						
	You can allow permission	n for your ORG	CID Record to	be updated b	y a trusted o	organisation.						
	You can allow permission Find out more	n for your ORG	CID Record to	be updated b	y a trusted o	organisation.						
	You can allow permission Find out more ORCID record	Approval date	CID Record to	be updated by	y a trusted o	organisation.			[Per rir	nuovere	le auto-
	You can allow permission Find out more ORCID record ResearcherID http://www.researcher id.com	Approval date 2015-04-23	CID Record to Access type Read your bi	be updated by	y a trusted o	organisation.	â	•	_	Per rir rizzazi	nuovere oni clico	le auto- are sul
	You can allow permission Find out more ORCID record ResearcherID http://www.researcher id.com	Approval date 2015-04-23 2015-04-23	Access type Read your bi Read your bi ORCID reco	ographical inf	y a trusted o ormation ormation :	organisation. Read items in your	ŵ		_	Per rir rizzazi simbo	nuovere oni clicc lo del ces	le auto- are sul tino
	You can allow permission Find out more ORCID record ResearcherID http://www.researcher id.com ResearcherID http://www.researcher id.com Trusted in	Approval date 2015-04-23 2015-04-23	Access type Read your bi Read your bi ORCID reco	be updated by	y a trusted o ormation ormation :	organisation. Read items in your			_	Per rir rizzazi simbo	nuovere oni clico lo del ces	le auto- are sul tino
	You can allow permission Find out more ORCID record ResearcherID http://www.researcher id.com ResearcherID http://www.researcher id.com Trusted in You can grant permission Find out more	Approval date 2015-04-23 2015-04-23 divid to another O	CID Record to Access type Read your bi ORCID reco URAN RCID user to to	ographical inf ographical inf rd	y a trusted o ormation ormation :	rganisation. Read items in your rd on your behalf.	ŵ		- [Per rir rizzazi simbo	nuovere oni clicc lo del ces	le auto- are sul tino
	You can allow permission Find out more ORCID record ResearcherID http://www.researcher id.com ResearcherID http://www.researcher id.com Trusted in You can grant permission Find out more Search for ORCID users	A for your ORCA Approval 2015-04-23 2015-04-23 2015-04-23 divid to another O to add as trust	CID Record to Access type Read your bi ORCID reco ACCID user to to ted individuals.	be updated by ographical inf rd	y a trusted o ormation ormation :	rd on your behalf.			_	Per rir rizzazi simbo	muovere oni clicc lo del ces	le auto- are sul tino

Figura 8 Esempio di autorizzazione a Trusted organizations: ResearcherID può leggere le informazioni bibliografiche e i lavori presenti in ORCID.

Account settings

Email	Edit
Password	Edit
Privacy preferences	Edit
Security question	Edit
Email preferences	Edit
Close account	Close this ORCID record

Trusted organizations

You can allow permission for your ORCID Record to be updated by a trusted organisation. Find out more

Trusted individuals

You can grant permission to another ORCID user to update your ORCID record on your behalf. Find out more

ORCID record	ORCID ID	Access granted	
Giuseppe De Nadai	0000-0001-6458-4541	2015-05-21	Ĩ
Search for ORCID users to	add as trusted individuals.		
ORCID iD, email address, or	names Search		

Figura 9 Esempio di Trusted individuals: Giuseppe De Nadai può aggiornare il profilo ORCID di un altro autore.

Quando si procede a collegare il profilo **ORCID** con i profili di altri database, ad esempio **Scopus** e/o **ResearcherID**, vengono richieste autorizzazioni speciali.

Per *Scopus* l'autorizzazione fa riferimento a diversi aspetti: <u>aggiornare</u> le pubblicazioni presenti, <u>aggiungere</u> nuove pubblicazioni, <u>aggiungere</u> un identificativo di autore (Scopus Author ID), <u>leggere</u> le informazioni contenute nel record *ORCID*.

ORCID	Giuseppe De Nadai http://orcid.org/0000-0003-1522-6814
	(Not You?)
copus to ORCID	>
as asked for the following	access to your ORCID Record
9 💠 C	
Jpdate your works	
dd a person identifier	
dd works	
ead your ORCID record	
Allow this permission	until I revoke it
Allow this permission	until I revoke it. ns on your account settings page. Unchecking this box
j Allow this permission You may revoke permissio will grant permission this t	i until I revoke it. ns on your account settings page. Unchecking this bax ime only.
Allow this permission You may revoke permission will grant permission this t This application will not be	i until I revoke it. ns on your account settings page. Unchecking this box ime only. able to see your ORCID password, or other

Figura 10 Autorizzazione richiesta da Scopus per l'accesso ai dati contenuti in ORCID.

Per **ResearcherID** l'autorizzazione permette di poter aggiungere un identificativo di autore (**ResearcherID**), leggere le informazioni biografiche e gli item del record **ORCID**.



Figura 11 Richiesta di autorizzazione per il collegamento tra ResearcherID e ORCID.

Inoltre, quando si sincronizza il profilo **ResearcherID** con il profilo **ORCID**, inviando da **ResearcherID** a **ORCID** i lavori scelti, compare la seguente richiesta di autorizzazione:



Figura 12 Richiesta di autorizzazione per i nuovi lavori.

La registrazione del profilo continua completando i vari campi e selezionando le voci di interesse che si desidera **ORCID** notifichi al proprietario del profilo

1,343,222 ORCID iDs and counting. See more ...

Register for an ORCID iD

ORCID provides a persistent digital identifier that distinguishes you from every other researcher and, through integration in key research workflows such as manuscript and grant submission, supports automated linkages between you and your professional activities ensuring that your work is recognized.

First name	
Giuseppe	* 2
Last name	
De Nadai	
Email	
denadai@unive.it	*
Re-enter email	
denadai@unive.it	*
Password	
	* 2
Confirm password	
	*
Default privary for new recearch activities	(Works Affiliations Funding atc)
▲ J A 3	() ores, Annacoris, Failing, etc)
Notification Email	
Send me notifications about changes to	my ORCID Record.
Send me information about ORCID evidence	ents and news.
Terms of Use *	
I consent to the privacy policy and con Public.	ditions of use, including public access and use of all my data that are marked
Register	



ORCID invia una email di notifica all'indirizzo utilizzato durante la registrazione richiedendo la verifica di tale indirizzo.



Dear Giuseppe De Nadai,

Thank you for registering for an ORCID identifier. To complete your registration please verify your email address.

Verify your email address

Or copy and paste this link into your browser's address bar. https://orcid.org/verify-email/ZGxJM2p4eEppcU4vcFZhaTVTbmZYQ1NDbE96R1RPN1g?lang=en

- Your ORCID iD is 0000-0003-1522-6814
- The link to your public record is http://orcid.org/0000-0003-1522-6814

Next steps:

1. Add more information to your ORCID Record

Access your ORCID record at https://orcid.org/my-orcid and add additional information to your record. Funders, publishers, universities and others use the information contained in an ORCID Record to help decrease the record keeping they ask from you. Increase the amount of information you can share in this way by adding other names you are known by, professional information, funding items you have received and works you have created to your Record.

For tips on adding information to your ORCID record see: http://support.orcid.org/knowledgebase/articles/460004

2. Use your ORCID iD when publishing, applying for grants and more

Many systems ask for your ORCID iD to create a link between you and your research outputs. Continue to use your ORCID iD whenever it is asked for to get credit for your work and decrease future record keeping.

Need Help?

If you have any questions or need help, contact the ORCID support team or visit http://support.orcid.org.

Kind Regards, The ORCID Team support@orcid.org https://orcid.org/

You have received this email as a service announcement related to your ORCID Account.

email preferences | privacy policy | ORCID, Inc. | 10411 Motor City Drive, Suite 750, Bethesda, MD 20817, USA | ORCID.org

Figura 14 Email di verifica dell'indirizzo fornito a ORCID.

 Search				Q D	English	
	FOR RESEARCHERS	FOR ORGANIZATIONS	ABOUT	HELP	SIGN OUT	
Connecting Research and Researchers	MY ORCID RECORD ACC	OUNT SETTINGS DEVELOPER TOOLS	LEARN MORE	1,343,222	ORCID iDs and counting	See m
 Thank you for verifying you	ur email!					

Figura 15 Avviso di ORCID della verifica dell'email.

Dopo l'avvenuta verifica dell'email utilizzata, si procede alla personalizzazione del proprio profilo **ORCID** iniziando, ad esempio, dalla formazione scientifica.

spastan [] scobastansaace [] scobasti			tone web or set	thee to su
Search		Q 4	English	۲
ORCID		FOR RESEARCHERS FOR ORGANIZATIONS ABOUT HE	LP SIGN OUT	
Connect and Rese	ng Research archers	MY ORCID RECORD ACCOUNT SETTINGS DEVELOPER TOOLS LEARN MORE	125	
		1.	43,222 ORCID iDs and countin	ig. See more
Giuseppe De Nadai	0	Biography	1	δ 🖨
ORCIDID		✓ Education (0)	+ Add education	11 Sort
(D) orcid.org/0000-000	3-1522-6814	You haven't added any education, add some now		
View Public P	ofile	← Employment (0)	+ Add employment	IT Sort
📓 Get a QR Code for	your iD 😮	You haven't added any employment, add some now		
Also known as	0	✓ Funding (0)	+ Add funding	11 Sort
Country	0	You haven't added any funding, add some now		
Keywords	0	♥ Works (0)	+ Add works	11 Sort
Mahaitas	0	You haven't added any works, add some now		

Figura 16 Videata iniziale riepilogativa completamente vuota.



Figura 17 Si clicca su Add education e poi su Add manually.

L'inserimento dei dati relativi alla propria formazione scientifica viene eseguito in modo manuale.

EDIT EDUCATION

Institution		Department					
Università Ca' Foscari Venezia	*	Add department					
City Venezia *		Degree/title					
State/region		Start date					
Add state/region		1996	•	03	1	18	•
Country		End date (leave	e bla	nk if curren	t)		12
States Street				Constant and the second	50	character of	

Figura 18 Inserimento di informazioni circa la propria formazione scientifica.

Poi si può procedere con l'indicazione del proprio inquadramento professionale.

Institution/employer	Department
Università Ca' Foscari Venezia	8 Add department
City	Role/title
Venezia *	Research Fellow
State/region	Start date
Add state/region	Year 🔻 Mont 🖲 Day 🔻
Country	End date (leave blank if current)
Italy *	Year Y Mont Y Day Y

Figura 19 Questa videata si ottiene cliccando Add employment e successivamente Add manually.

Si possono inserire ulteriori informazioni quali una breve biografia e altre ancora.



Figura 20 Riepilogo del record in ORCID.

Le attività di ricerca possono essere inviate da *ResearcherID* o da *Scopus* o da altre fonti a *ORCID*, oppure dal profilo in *ORCID* si possono recuperare utilizzando la funzionalità **Add works** della figura successiva



Figura 21 Le attività di ricerca possono essere inserite in vari modi.

Come si vede le opzioni fornite sono le seguenti:

- Search & Link
- Import BibTex
- Add manually

La prima permette di collegarsi a fonti esterne.

✓ Works (5)	+ Add works	💉 Bulk edit	It Sort
ORCID works with our member organizations to make it easy to connect records. Choose one of the link wizards to get started. More information	t your ORCID iD and link to i about linking works	nformation in thei	r
Airiti			
Enables user to import metadata from Airiti, including journ	al papers, proceedings, d	issertations	>
Australian National Data Service (ANDS) Registry			
Import your research datasets into ORCID from Australian	National Data Service (A	NDS) and	>
CrossRef Metadata Search			
Import your publications from CrossRef's authoritative, pub	lisher-supplied metadata	on over 70	>
DataCite search and link			
Search the DataCite Metadata Store to find your research d	latasets, images and othe	r works. Th	>
Europe PubMed Central			
Europe PubMed Central (Europe PMC) offers this tool to er	nable you to link anything	; in Europe	>
ISNI2ORCID search and link			
Enables user to search the ISNI registry by name and link ISI	NI records to his ORCIE	profile as a	>
ResearcherID			
ResearcherID is a global, multi-disciplinary scholarly researc	h community where mer	nbers can r	>
Scopus to ORCID			
Import your Identifier, profile and publications. The wizard h	helps you find the correc	t Scopus pr	>

Figura 22 Collegamento da ORCID a fonti esterne.

La seconda permette di utilizzare un file preparato precedentemente esternamente a **ORCID**.



13

La terza permette di inserire manualmente le pubblicazioni con vari gradi di personalizzazione.

work category	OTHER WORK IDENTIFIERS
Pick a work category	* Identifier type
Work type	What type of external ID?
	▼ Identifier value
Title	Add ID
Add title	* Add other identified
Subtitle O add translated ti	
Add subtitle	- AND ONL
Journal title	Language used in this form
Add journal title	
Publication date	Country of publication
Year ¥ Montl ¥ Day ¥	•
CITATION	Add to list Cancel
Citation type UNSPECIFIED	
Citation type UNSPECIFIED Citation	
Citation type UNSPECIFIED Citation Add citation	
Citation type UNSPECIFIED Citation Add citation Description	

Figura 24 Inserimento manuale di un lavoro di ricerca.

Oltre ad aggiungere dei lavori scientifici, si possono operare delle modifiche sui lavori inseriti utilizzando l'opzione **Bulk edit.**

♥ Works (5)	+ Add works	🖊 В	ulk edit	1	Sort
Hide bulk edit	SE	SELECT		EDIT	
 Select works: Click the checkbox beside each work. Use the checkbox to the right to select or deselect all. 	1	*	485	δ	â
2 Select editing action: Click the trash can to delete all selected works or click a privacy setting to apply that setting to all selected works.					â

Figura 25 L'opzione Bulk edit permette di definire alcune proprietà per più attività di ricerca selezionandole tutte insieme.

In conclusione, un autore con pubblicazioni diverse presenti in database diversi, se ha un profilo **ORCID** e questo è sincronizzato con i diversi database, risolve il problema dell'individuazione corretta delle sue pubblicazioni scientifiche, specialmente con riferimento ad eventuali omonimie.